

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	536	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L2	8	L1 and authentication.cfm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L3	1021	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L4	2	L3 and @ad< "20010103" and @pd> "20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L5	1928	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L6	4	L5 and @ad< "20010103" and @pd> "20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L7	1653	(register\$4 registration) with (authenticat\$4 authoriz\$5 login logon (log adj (in on))) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L8	42	L7 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03

L9	0	L8 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L10	43635	(register\$4 registration) with (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L11	714	L10 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L12	0	L11 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:03
L13	175	portal with security near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L14	0	L13 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L15	3092	portal with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L16	215	L15 same (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L17	0	L16 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L18	10656	security near level same (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04

L19	6	L18 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L20	469	L18 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L21	0	L20 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L22	307	security near level same (authenticat\$4 authoriz\$5 login logon (log adj (in on))) same (prompt\$4 dialog adj box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L23	1	L22 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L24	236	(security authoriz\$6) near level same (authenticat\$4 login logon (log adj (in on))) same (prompt\$4 dialog adj box (pull drop) adj down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L25	0	L24 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L26	1396	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with (dialog adj box (pull drop) adj down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L27	1	L26 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L28	116	L26 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04

L29	0	L28 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L30	3145	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with display\$4 with (default selected choice choos\$4 chosen primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L31	1	L30 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L32	252	L30 same level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L33	0	L32 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L34	1826	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with first same (authoriz\$6 authenticat\$4 login logon (log adj (in on))) with second same level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L35	34	L34 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L36	0	L35 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:04
L37	146	security adj level same biometric and security adj level same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L38	0	L37 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05

L39	75	security adj level same (smartcard smart adj card) and security adj level same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L40	0	L39 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L41	638	different with security near level same (biometric password PIN smartcard smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L42	2	L41 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L43	83	security near level same (GUI interface) with (logon login (log adj (on in)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L44	0	L43 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L45	71	(GUI interface) with (logon login (log adj (on in))) with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L46	0	L45 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L47	163	register\$4 with requir\$4 with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05
L48	0	L47 and @ad<"20010103" and @pd>"20091214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:05

L49	1	(select\$4 choo\$4 choice) with (log adj (on in)) same biometric same (pin password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:06
L50	47	(select\$4 choo\$4 choice) with (log adj (on in)) same display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:06
L51	4	L50 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:06
L52	114	(select\$4 choo\$4 choice) with (log adj (on in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L53	185	(select\$4 choo\$4 choice) with ((sign log) adj (on in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L54	39	L53 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L55	455	(select\$4 choo\$4 choice) same ((sign log) adj (on in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L56	95	(select\$4 choo\$4 choice) same ((sign log) adj (on in)) same (register\$4 sav \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L57	15	L56 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L58	7	(select\$4 choo\$4 choice) same ((sign log) adj (on in)) with (prefer\$4 default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07

L59	0	L58 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L60	8	((sign log) adj (on in)) near2 (prefer\$4 default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L61	2	L60 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L62	124	level with portal same (((sign log) adj (on in)) authentikat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L63	1	L62 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:07
L64	522	((sign log) adj (on in)) authentikat\$4 with (prefer \$4 default) same (register \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08
L65	59	L64 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08
L66	21225	((sign log) adj (on in)) authentikat\$4 with (select \$4 choos\$4 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08
L67	2906	L66 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08
L68	350	L67 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08

L69	1301	authenticat\$4 with day	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08
L70	136	L69 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 14:08

EAST Search History (Interference)

< This search history is empty >

3/ 29/ 10 2:11:02 PM**C:\ Documents and Settings\mpyzocha1\ My Documents\ EAST\ Workspaces\ 10035064-6.wsp**